



Studio One

Powerfully simple live production, minimal footprint.

STREAMS TO

vimeo · livestream

f LIVE

twitch

YouTube



solutions.nextcomputing.com/livestream-studio



Livestream Studio One from NextComputing is an easy-to-use, reliable, compact switcher and encoder (only 11 inches wide) with mighty processing power. Stream up to 4K resolution, from two 4K inputs or four HD inputs (HDMI or SDI).

4K Edition (2 x HDMI inputs/1 x HDMI or SDI output)

\$5,575 ^{MSRP}

HD - HDMI Edition (4 x HDMI inputs/1 x HDMI or SDI output)

\$5,575 ^{MSRP}

HD - SDI Edition (4 x SDI inputs/1x HDMI or SDI output)

\$5,575 ^{MSRP}



Pre-installed with Livestream Studio software



2x 1/4 analog audio outputs



Hardware accelerated encoding and decoding



1x 1G Ethernet + 802.11ac Wi-Fi



2x 1/4" analog audio inputs



20 hours of broadcast quality recording (ISO at 1080)



Front panel USB/headphone



Runs Windows 10



Intel Core i5-9600K 3.7 GHz Six-Core Processor



Integrated Intel HD 630 Graphics



Native integration into Vimeo cloud



Import social comments directly into your stream as graphics

solutions.nextcomputing.com/livestream-studio



4K edition



HDMI edition



SDI edition

	4K	HDMI	SDI
External Multiscreen	1x Extended Screen output using Display Port to HDMI adapter		
Recording Capacity	~20 hours at 1080i (Using 1 TB built in SSD with recorder set to record at 100Mbps MJPEG AVI)		
CPU	Intel Core i5-9600K 3.7 GHz Six-Core processor		
RAM	16GB dual channel DDR4 2400 MHz		
Built-in Video Input/ Output Cards	2 Magewel Eco HDMI 4k (2 inputs)	2 Magewel Eco HDMI (4 inputs)	2 Magewel Eco SDI (4 inputs)
Built-in Network Interfaces	Gigabit Ethernet (10/100/1000 Mb/s) and WiFi (802.11 a/b/g/n/ac, supporting 2.4/5 GHz Dual-Band)		
Graphics Card	Integrated Intel HD 630 graphics		
Storage	1TB internal Solid State Drive (SSD)		
Embedded Audio Input	4K 2 stereo or 16 mono inputs	4 stereo or 32 mono inputs	
Physical	7.5" (D) x 12" (W) x 6.5" (H) ~6.0 lbs		